Trajectories of Inner and Outer Heliospheric Spacecraft

Predicted Through 1999

R. Parthasarathy (ST Systems/NSSDC) Joseph H. King (NSSDC/NASA) Goddard Space Flight Center Greenbelt, Maryland 20771

March 1991

National Space Science Data Center

Preface

The objective of this report is to present in tabular and graphical form information on the trajectories of the international fleet of spacecraft that will be probing the far reaches of the heliosphere during the 1990s. In particular, the following spacecraft are addressed.

Pioneer 10 and 11
Pioneer Venus Orbiter (PVO)
Voyager 1 and 2
Galileo
Ulysses
Suisei, Sakigake
Giotto
International Cometary Explorer (ICE)
Interplanetary Monitoring Platform 8 (IMP 8)

Yearly resolution listings of position information in inertial space are given for the Pioneer and Voyager spacecraft from the times of their launches in the 1970s. Monthly resolution listings of parameters relative to a fixed Earth-Sun line are given for the inner-heliosphere spacecraft. Algorithms are given for the inertial space positions of Earth (IMP 8) and Venus (PVO) and for the Earth-Sun-Venus angle.

One series of plots shows the radial distances, latitudes, and longitudes of the Pioneers and Voyagers. The longitude plot of this series also shows the excursion of the Earth in ecliptic longitude each year. A Ulysses-dedicated plot is next given, showing at monthly resolution the latitude and radial distance excursion over the 1990s. Then a series of four plots, each covering successive three-year intervals, shows the Earth-Sun-spacecraft angles for all the spacecraft addressed in the report. Finally, two plots show the ICE and Sakigake trajectories in fixed Sun-Earth line systems, from their launches to their 2014 (ICE) and 1992 Earth vicinity returns, and one cartoon shows the Ulysses spacecraft from 1990 launch through 1992 Jupiter encounter to the 1994 and 1995 south and north solar pole passes.

The solar ecliptic inertial coordinate system is used in this report. In this system, the Z axis is normal to the ecliptic plane and the X axis is towards the first point of Aries (from Sun to Earth on the vernal equinox). In addition, heliographic latitudes are also used, which are latitudes defined relative to the solar equatorial plane and solar spin vector.

This report is a follow-up to a 1986 National Space Science Data Center (NSSDC) report that listed and plotted heliospheric spacecraft trajectory information for the 1970s and 1980s. That report was *Trajectories of Pioneers 6-11*, *Helios A and B, and Voyagers 1 and 2* (NSSDC report 86-03, 1986) and is available, as are additional copies of this report, by request to the NSSDC Coordinated Request and User Support Office (301-286-6695; NCF::REQUEST).

On-Line Files

In addition to the plots and listings of the report mentioned above, NSSDC also makes available on-line files with daily resolution of 1989-1999 trajectory information (Cartesian) for those users for whom the lower resolution information of this report, or the coordinates used herein, are unsuitable. One of the files is an executable code; the interface offered to users enables the specification of the spacecraft, the time resolution of the output listing, and the parameters to be listed (available parameters are radial distance, solar ecliptic latitude and longitude, and heliographic latitude and longitude).

The on-line files were created by the several NSSDC codes from the ephemeris tapes generated at the Flight Dynamics Branch, Goddard Space Flight Center (GSFC), by running the GTDS code against sets of orbital elements for the various spacecraft involved.



The files are presently held in an ANONYMOUS account on an NSSDC VAX. They may be copied to individual VAX accounts using the command

COPY NSSDCA:: ANON DIR: [ACTIVE.HELIO] FILE.NAME FILE.NAME

An annotated list of precomputed files and a brief description of the executable code (executable from DECnet nodes only) are available in a file named JHK.RP. This file should be copied first and read via

COPY NSSDCA:: ANON DIR: [ACTIVE.HELIO] JHK.RP FILE.LIST.

Those in nodes other than DECnet may access files via FTP as follows:

At the prompt, type FTP NSSDCA.GSFC.NASA.GOV

At the next prompt, type ANONYMOUS

At the message PASSWORD (NSSDCA.GSFC.NASA.GOV: ANONYMOUS):, press return.

At the next prompt, type GET ANON_DIR: [000000.ACTIVE.HELIO] JHK.RP FILE.LIST

(There are six zeros in this response.)

At the following prompt, type QUIT

NSSDC offers many data and services via its no-password NODIS account, which is accessible over DECnet via SET HOST NSSDCA, USERNAME=NSSDC. It is probable that after some time the deep space trajectory files described herein and now held in the ANONYMOUS account will be moved to the NODIS account.

Acknowledgment

The authors appreciate the untiring efforts of Frank Ferrier for providing the final versions of the GTDS ephemeris tapes (IBM binary). John Vanderpool enabled VAX ASCII versions of them. The Jet Propulsion Laboratory has been the main source for the orbital element set collection used.

List of Tables


Table 1.	Radial Distance, Heliographic Latitude, and Ecliptic Longitude
	Data are from Pioneer 10, Pioneer 11, Voyager 1, Voyager 2, and Ulysses, for the first day of each year, from launch through 1990. For Ulysses, additional dates signify when the probe is at the farthest southern and northern heliographic latitudes.
Table 2.	Radial Distance and Ecliptic Plane Earth-Sun-Probe Angle
	Data are for ICE, Suisei, Sakigake, Galileo, Ulysses, and Giotto, from 1989 through 1999 for the first four probes, from 1990 through 1999 for Ulysses, and during 1992 only for Giotto. The DOYs are the day-of-year of the first day of each month. The PVO orbit is regular enough that its E-S-P angle is provided at the end, algebraically only. Sakigake data between October 94 (third maneuver) and October 95 (fourth maneuver) may not be very accurate.

List of Figures

Figure 1.	Radial Distances of Pioneer 10, Pioneer 11, Voyager 1, and Voyager 11
	Time coverage is launch through 1999. The data points are on the first day of each year.
Figure 2.	Heliographic Latitudes on Pioneer 10, Pioneer 11, Voyager 1, and Voyager 2
	The time coverage is launch through 1999. The data points are on the first day of each year. See the 1986 NSSDC report 86-03, Trajectories of Pioneers 6-11, Helios A and B, and Voyagers 1 and 2, for higher resolution data for the early years.
Figure 3.	Ecliptic Longitudes of Pioneer 10, Pioneer 11, Voyager 1, and Voyager 2
	The time coverage is launch through 1999. The data points are on the first day of each year. Also plotted is the ecliptic longitude of Earth for any day of a year. The Earth-Sun-probe angle can be readily inferred. See the 1986 NSSDC report 86-03, Trajectories of Pioneers 6-11, Helios A and B, and Voyagers 1 and 2, for higher resolution data for the early years.
Figure 4.	Radial Distance and Heliographic Latitude of Ulysses from Launch Through 1999
	The planned post-maneuver elements of the probe during the Jupiter encounter in 1992 has been used in the computation.
Figure 5.	Earth-Sun-Probe Angles
	Time coverage is 1989 through 1991. Intersection of curves for a pair of probes signifies radial alignment if the ecliptic latitude of the probes are near enough to zero; they may not be for Pioneer 11 and Voyager 1 and 2.
Figure 6.	Earth-Sun-Probe Angles
	Time coverage is 1992 through 1994. Ulysses also is well below the ecliptic plane.
Figure 7.	Earth-Sun-Probe Angles
	Time coverage is 1995 through 1997 but with PVO eliminated. Ulysses also is well above from the ecliptic plane.
Figure 8.	Earth-Sun-Probe Angles
	Time coverage is 1998 through 1999. Ulysses tends to be well below the ecliptic plane.
Figure 9.	Earth-Sun-Probe Angle of ICE
Figure 10.	Earth-Sun-Probe Angle of Sakigake
Figure 11	A Three Dimensional Sketch of the Ulysses Trajectory



,	



	1 101 10 10 10 10 10 10 10 10 10 10 10 1

Table 1: Radial Distance, Heliographic Latitude, and Ecliptic Longitude

	ELON																		98.5	155.7	160.6	167.1	211.3	323.3	32.4	138.0	152.0	156.2	159.7	164.4
Ulysses	HLAT																		-0.8	-5.9	-22.8	-48.4	-80.2	-45.0	80.2	53.4	19.1	9.0	-18.9	-39.5
	ΨΩ																		1.59	5.09	5.07	3.84	2.32	1.57	2.01	3.05	4.71	5.37	5.21	4.30
6	ELON					68.5	125.5	154.5	179.5	198.5	221.5	238.5	248.5	256.5	264.5	271.5	278.6	281.1	281.9	282.6	283.3	283.8		284.3		284.8	285.2	285.6	285.9	286.2
Voyager 2	HLAT					5.9	-3.9	-5.9	4 .	-3.7	-2.4	-10.0	-0.1	0.5	1.9	3.1	3.6	2.4	-1.7	-5.2	-8.3	-10.9		-13.1		-15.1	-16.9	-18.4	-19.8	-21.1
	ΑŪ					2.0	4.6	90	8.1	9.6	11.2	13.2	16.2	19.2	22.1	25.6	28.0	31.1	33.6	36.3	39.0	41.8		44.8		47.7	50.7	53.7	26.7	59.7
Ę	ELON					68.5	122.5	160.5	182.5	199.5	211.5	220.0	225.5	229.5	233.5	236.5	240.2	242.0	243.6	244.9	246.0	247.0		247.8		248.6	249.3	249.9	250.4	250.9
Voyager 1	HLAT					1.0	-5.0	-5.5	-2.8	9.4	17.6	2	25.0	26.6	28.1	29.5	30.1	30.7	31.3	31.7	32.1	32.4		32.6		32.8	33.0	33.2	33.4	33.5
	PΩ					2.0	2.0	2.0	9.6	12.0	15.0	18.3	27.	25.8	28.0	33.2	36.3	30.9	43.6	47.2	50.8	54.5		58.1		61.7	65.3	0.69	72.6	75.9
11	ELON		323.5	47.5	107.0	139.5	157.5	171.5	189.5	209.0	224.5	234.5	242.0	249.0	253.0	257.0	260.9	263.4	265.5	267.3	268.8	270.2		271.4		272.4	273.4	274.2	275.0	275.7
Pioneer 11	HLAT		4.2	15.5	11.3	2.2	-3.1	-3.1	3.6	8.6	11.6	13.8	15.1	15.9	16.5	16.7	16.9	17.0	17.1	17.2	17.3	17.3		17.3		17.4	17.4	17.4	17.4	17.4
F	ΑU		3.2	3.7	4.5	6.5	8.4	9.5	9.7	11.1	12.0	15.1	17.6	20.0	22.5	25.2	27.4	29.8	32.3	34.8	37.3	30.8		42.2		44.7	47.2	49.6	52.0	54.3
10	ELON	291.5	319.0	. 08 0.08	41.5	48.5	74.5	99 90 90 90	0.09	63.0	65.0	67.5	68.5	20.0	71.0	72.0	71.8	72.4	72.9	73.4	73.9	74.3		74.7		75.0	75.3	75.6	75.9	76.1
Pioneer 10	HLAT	3.1	7.0 5.0	7.9	7.3	9.9	5.9	5.4	4.8	4.6	4.3	4.0	3.8	3.8	3.6	3.6	3.5	3.5	3.4	3.3	3.3	3.2		3.2		3.1	3.1	3.0	3.0	3.0
P4	PΩ	3.4	5.1	000	11.8	15.1	17.8	21.1	23.8	26.4	28.8	32.0	34.4	37.2	40.0	45.8	45.4	48.1	50.7	53.4	26.0	58.7		61.3		63.9	66.5	69.1	71.7	74.0
	DOY	-			-	_	_	_		_	_	-	-	7	7	_	_	7	_	-	-	~	255	_	213	-	_	_	_	335
	¥¥	73	74	76	77	78	79	8	81	85	83	\$	82	86	87	88	8	8	91	92	93	94		92		8	6	86	86	86

Table 2: Radial Distance and Ecliptic Plane Earth-Sun-Probe Angle

	VSSCS	AU ESP																							8.1	9.6	359.2	341.2	321.3	297.3	272.9	247.1	222.1	195.7	169.0	142.6	114.4	86.4
ogie	Þ	¥																							1.04	1.27	1.50	1.93	2.24	2.57	2.89	3.20	3.49	3.78	4.06	4.33	4.59	4.84
rrobe A	alileo	AU ESP											358.1	355.8	357.2	2.6	29.7	52.2	59.9	57.6	50.2	39.7	28.3	17.3	7.3	1.4	5.8	15.8	19.1	14.0	2.7	347.0	329.7	310.2	289.4	268.4	245.3	222.3
-uns-un	Ğ	AU											0.39	96:0	0.87	0.75	0.70	0.79	0.95	1.09	1.20	1.26	1.27	1.24	1.15	1.02	0.91	0.9 4	1.06	1.25	1.45	1.63	1.79	1.93	2.05	2.14	2.21	2.25
Kadiai Distance and Ecuptic Plane Eartn-Sun-Frobe Angle	gake	AU ESP	226.8	229.6	228.9	226.3	223.9	223.2	225.7	232.8	244.5	257.8	268.9	274.7	275.9	273.8	270.8	268.2	267.9	271.9	280.8	294.0	307.5	316.9	321.3	321.4	318.8	315.5	313.4	314.2	319.6	330.3	343.5	355.7	3.3	6.2	5.7	9. 9.
cupuc r	Sakt	Ϋ́Ω	0.80	0.95	0.99	1.01	1.01	0.97	0.92	0.86	0.82	0.82	0.86	0.92	0.97	1.01	1.01	0.39	0.95	0.80	0.84	0.82	0.84	0.89	0.95	0.39	1.01	1.01	0.98	0.92	0.87	0.82	0.82	98.0	0.92	0.97	1.00	1.01
ce and E	lsei	23	319.1	335.6	359.8	23.3	34.7	37.6	36.3	33.7	32.8	36.8	50.2	74.4	100.5	114.8	118.2	116.4	112.8	110.2	111.9	121.9	144.5	172.8	193.3	200.9	200.5	196.3	192.2	190.7	196.0	213.3	240.9	266.3	279.1	282.3	280.3	276.6
u Distan	Sulsei	ΑŪ	0.81	0.71	0.68	0.75	0.86	96.0	1.01	1.00	0.95	0.85	0.74	0.68	0.72	0.83	0.93	9:1	1.01	0.98	0.80	0.78	0.69	0.69	0.79	0.90	0.98	1.01	0.99	0.92	0.82	0.71	0.68	0.75	0.87	96.0	1.01	9.1
Z: Kadia	ICE	23	61.5	64.9	67.7	6.69	70.8	70.6	8.69	68.6	67.7	67.8	68.7	70.9	74.1	97.7	80.1	81.7	81.9	81.2	80.1	79.0	78.5	78.9	90.6	83.4	87.0	90.3	92.2	93.2	92.8	91.6	90.4	89.4	89.2	90.3	97.6	0.96
Table	H	Ϋ́	0.93	0.93	0.94	96:0	0.99	1.02	1.03	1.03	1.02	1.00	0.97	% :0	0.93	0.93	0.94	0.97	1.00	1.02	1.03	1.03	1.01	0.99	96'0	0.9 <u>4</u>	0.93	0.93	0.95	0.98	1.01	1.03	1.03	1.02	1.00	0.98	0.95	0.93
		Ď	-	35	8	16	121	152	182	213	244	274	305	335	_	35	8	16	121	152	182	213	244	274	305	332	-	35	8	9]	121	152	182	213	244	274	පි	332
		χ	83	83	83	88	88	83	83	88	8	8	8	80	8	8	8	8	8	8	8	8	8	8	6	8	91	91	91	91	91	91	91	91	91	91	91	91

Table 2: Radial Distance and Ecliptic Plane Earth-Sun-Probe Angle (continued)

otto	ESP	298.5	290.5	282.4	275.4	270.5	268.0	268.1	270.1	272.6	273.9	272.9	269.5																								
Glotto	ΥΩ	1.16	1.16	1.15	1.12	1.09	1.05	1.02	1.00	1.00	1.02	1.06	1.09																								
868	d Si	26.7	26.5	357.2	326.1	296.6	266.7	238.2	209.0	179.9	151.4	121.4	91.8	80.8	29.4	1.2	330.2	300.8	271.0	242.7	213.8	184.9	156.7	127.2	98.1	67.6	37.0	9.6	339.9	312.2	284.9	260.4	238.2	223.4	227.1	246.3	242.9
Ulys	AU ESP	5.09	5.33	5.40	5.39	5.38	5.36	5.34	5.31	5.27	5.23	5.18	5.13	5.07	5.00	4. 8.	4.86	4.77	4.68	4.58	4.48	4.36	4.24	4.11	3.98	28. 28.	3.68	3.54	3.36	3.19	3.00	2.81	2.61	2.39	2.18	1.96	1.76
ileo	d.	197.7	172.7	149.4	125.2	102.7	90.6	9.09	41.5	24.7	11.1	1.5	359.2	6.5	7.5	359.6	344.1	325.4	303.9	281.8	258.1	233.4	208.6	182.0	155.3	126.9	57.76	71.5	42.4	14.8	346.6	319.7	292.1	264.4	237.3	208.6	180.3
Gal	AU ESP	2.27	2.26	2.24	2.19	2.12	2.02	1.90	1.75	1.58	1.40	1.20	1.02	1.02	1.20	1.4	1.72	1.99	2.26	2.51	2.74	2.97	3.18	3.37	3.55	3.73	3.80	4.03	4.17	4.30	4.42	4.53	4.64	4.74	4.82	4.90	4.97
Sakigake	Ŝ	9.0	1.3	4.5	9.1	12.5	13.7	12.3	8.8	4.0	358.4	352.7	347.8	344.6	344.2	346.5	350.9	355.4	358.1	357.7	354.9	351.1	347.6	345.2	345.0	348.3	355.2	2.7	9.6	13.0	13.2	11.1	9.2	4.0	1.1	359.3	1.3
Sakig	AL	0.99	0.95	0.93	0.93	0.97	1.02	1.07	1.11	1.13	1.13	1.11	1.07	1.02	0.97	0.93	0.93	0.95	0.99	<u>\$</u>	1.07	1.08	1.06	1.01	0.96	0.30	0.87	0.87	0.91	96:0	1.02	1.06	1.08	1.07	1.9	0.99	0.93
Suisei	d S	274.0	276.4	287.9	312.6	338.5	354.4	359.8	359.6	357.9	355.5	352.9	352.3	355.4	4.2	16.2	29.4	38.1	42.0	42.1	40.4	38.2	37.2	39.2	45.4	57.0	70.8	90.6	86.0	87.0	85.3	82.9	81.1	81.9	9.98	9.96	110.1
Su	AU	0.95	0.85	0.74	0.68	0.72	0.83	0.93	1.00	1.03	1.03	1.00	0.95	0.88	0.82	0.80	0.82	0.80	96.0	1.01	1.03	1.02	0.98	0.92	0.85	0.80	0.81	0.85	0.92	0.99	1.02	1.03	1.01	0.95	0.88	0.82	0.80
ICE	23	26.7	102.7	104.2	104.4	103.5	102.0	100.6	8.66	100.3	101.9	104.9	108.7	112.4	114.9	115.8	115.3	113.9	112.2	110.9	110.5	111.4	113.7	117.4	121.4	124.9	126.9	127.2	126.1	124.3	122.5	121.3	121.2	122.8	125.7	129.8	133.9
ĭ	AU.	0.93	46.0	96.0	0.00	1.02	1.03	1.03	1.02	0.99	0.97	0.94	0.93	0.93	0.95	0.97	1.00	1.02	1.03	1.03	1.01	0.98	96.0	0.93	0.93	0.94	96:0	0.99	1.01	1.03	1.03	1.02	1.00	0.97	0.95	0.93	0.93
	DOY	-	35	3 19	8	122	153	183	214	245	275	306	336	-	32	8	91	121	152	182	213	244	274	305	335	-4	35	8	16	121	152	182	213	244	274	305	335
	YY	92	6	6	6	92	92	92	65	92	92	92	95	93	93	93	93	66	93	93	93	93	93	93	93	8	8	8	8	8	8	8	8	8	8	8	8

	66 0	ESP	224.0	199.5	175.6	149.1	124.4	101.6	85.2	83.1	101.4	194.1	88.4	629	39.0	10.3	342.8	313.1	284.6	255.5	227.7	199.1	170.3	142.2	112.4	83.1	52.1	50.9	352.7	321.7	292.3	262.4	234.0	204.9	175.7	147.2	117.3	87.6
tinued)	Ulysses	AU	1.57	1.42	1.35	1.36	1.45	1.61	1.80	2.01	2.23	244	2.65	2.85	3.05	3.23	3.40	3.57	3.72	3.88	4.01	4.15	4.28	4.39	4.51	4.61	4.71	4.80	4.87	4.95	2.02	5.00	5.15	5.20	5.25	5.29	5.32	5.35
rgle (con	Jeo	23	150.4	120.3	93.0	63.0	34.6	5.8	338.3	310.2	282.1	254.6	225.6	197.2	168.3	136.5	109.4	80.4	53.1	25.4	359.1	332.2	305.3	279.1	251.3	224.0	195.1	166.1	140.1	111.1	84 .0	56.3	30.2	3.4	336.6	310.6	282.9	255.7
Probe Ar	Galileo	ΑŪ	50.04	5.10	5.14	5.19	5.22	5.25	5.27	5.29	5.30	5.30	5.29	5.28	5.27	5.27	5.26	5.25	5.24	5.23	5.22	5.21	5.19	5.18	5.17	5.16	5.15	5.14	5.13	5.12	5.11	5.10	5.09	5.08	5.07	5.06	5.05	200
. Distance and Ecliptic Plane Earth-Sun-Probe Angle (continued	ake	8	6.9	16.5	26.0	33.8	37.3	37.4	35.3	32.3	29.8	28.8	359.7	1.8	5.4	8.8	10.5	9.7	7.1	2.9	358.3	353.6	349.5	346.7	345.5	346.4	349.3	353.0	355.5	356.1	354.5	351.2	346.9	342.1	337.5	333.7	331.2	330.6
Plane Ea	Sakigake	A.	0.86	0.83	0.85	06.0	96.0	1.01	1.05	1.06	1.83	0 6.0	6 60	96.0	0.93	0.95	0.98	1.83	1.07	1.10	1.12	1.11	1:09	1.05	1.00	96:0	7 6.0	76 0	96.0	1.00	1.05	1.09	1.11	1.12	1.11	1.08	1.03	0.60
Ecliptic	er.	23	123.2	131.0	133.1	131.6	128.6	125.6	124.6	127.1	135.1	147.9	163.0	174.3	179.5	179.2	176.2	172.1	169.2	169.2	173.8	184.8	200.2	214.4	223.6	226.4	224.6	220.5	216.6	213.9	215.2	222.3	235.2	251.2	264.1	270.6	271.8	269.4
ce and]	Suisei	ΑU	0.83	0.89	96.0	1.01	1.83	1.02	0.98	0.92	0.85	0.80	0.80	0.85	0.93	0.99	1.02	1.8	1.01	0.95	0.88	0.82	0.80	0.83	0.80	96:0	1.01	1.03	1.02	0.98	0.92	0.85	0.80	0.80	0.86	0.93	06.0	1.83
dial Distan	30	23	137.2	138.6	138.2	136.6	134.5	132.6	131.7	132.1	134.3	137.9	142.4	146.5	149.3	117.5	120.3	117.6	117.1	114.4	114.0	112.8	113.8	117.3	120.0	125.2	127.5	129.4	132.5	128.2	127.3	124.5	124.3	123.5	125.1	129.3	132.5	137.7
Radi	¥	A U	9.9	0.97	9:	1.02	1.83	1.83	1.02	0.99	96.0	₹ 6	0.93	0.93	0.95	0.95	0.98	1.01	1.83	1.83	1.8	1.01	0.98	0.95	0.93	0.93	8 .0	0.96	0.0	1.01	1.83	1.83	1.02	8.	0.97	8	0.93	0.93
Table 2:		DOY	-	32	8	16	121	152	182	213	244	274	305	335	7	35	61	8	122	153	183	214	245	275	306	336	-	32	8	91	121	152	182	213	24	274	305	332
		ጟ	95	92	92	92	92	92	92	92	92	92	92	92	8	8	8	8	8	8	8	8	8	8	8	96	6	62	26	62	62	97	97	97	97	97	97	97

Table 2: Radial Distance and Ecliptic Plane Earth-Sun-Probe Angle (continued)

1808	AU ESP	56.5	25.1	356.8	325.7	296.2	266.2	237.7	208.5	179.3	150.8	120.9	91.3	60.2	28.8	0.5	329.4	300.0	270.2	241.8	212.7	183.8	155.5	125.7	964
M)	AU	5.37	539	5.40	541	541	5.40	5.39	5.38	5.36	5.33	5.29	5.25	5.21	5.16	5.10	502	4.97	4.80	4.81	4.72	4.63	4.53	4.42	4.30
Gailleo	Š	229.7																							
5	ΑU	5.02	502	501	500	4.99	4.99	4.98	4.98	4.97	4.97	4.96	4.96	4.96	4.96	4.95	4.95	4.95	4.95	4.95	4.95	4.96	4.96	4.96	4.96
gake	AU ESP	332.2	335.5	338.6	340.5	340.3	338.0	334.4	329.8	325.0	320.6	317.1	315.1	315.4	317.7	321.0	324.0	325.3	324.3	321.5	317.4	312.6	307.8	303.4	300.3
Saki	Y	0.95	0.93	0.95	96:0	1.03	1.07	1.10	1.12	1.12	1.09	1.06	1.01	0.97	76 :0	7 6:0	96.0	1.00	1.05	1.09	1.11	1.12	1.11	1.08	1.03
Suisei	d Si	265.2	261.4	260.1	263.2	272.3	286.9	301.3	311.5	315.8	315.8	313.2	309.7	307.1	307.6	312.8	324.4	338.6	350.9	357.6	359.7	358.7	356.2	353.8	353.6
nS Sn	ΥΩ	1.03	1.00	0.95	0.88	0.82	0.80	0.82	0.80	96:0	1.01	1.03	1.02	0.98	0.91	0.85	0.80	0.80	0.85	0.92	0.39	1.83	1.83	1.00	0.94
贸	ď	172.6	172.0	170.1	167.3	164.9	163.4	163.8	166.1	170.2	175.2	180.0	183.1	183.9	182.6	180.3	177.3	175.0	174.0	174.9	177.8	182.6	187.7	192.2	194.7
Ä	Ϋ́	0.97	1.00	1.02	1.03	1.03	1.01	0.99	96.0	0.94	0.93	0.93	0.95	0.98	1.01	1.03	1.03	1.03	1.01	0.98	0.95	0.93	0.93	0.94	0.96
	DOX	1	32	8	9]	121	152	182	213	244	274	305	335	-	32	8	91	121	152	182	213	244	274	305	335
	ጟ	86	86	86	86	86	86	86	86	86	8	86	86	8	8	8	8	8	8	8	8	8	8	8	8

Earth-Sun-Pioneer/Venus Angle

EARTH: Ecliptic Longitude of Earth on Every 1 Jan = 99.8 deg (+/- 0.5)

Longitude Increases by 0.9856 Deg/Day

Longttude on Any Day Number (DDD) = 99.8 + DDD \times 0.9856

VENUS: Ecliptic Longitude of Venus on 1 Jan 89 = 225.4 Deg

Longitude Increases by 1.602 Deg/Day !!! Day is Earth Day

Longitude on YY, DDD = $225.4 + [365.25 \times (YY - 89) + DDD] \times 1.602$

Earth-Sun-Venus Angle, ESV:

 $125.6 + 585.1 \times (YY - 89) + 0.6164 \times DDD$

Figures




Figure 1. Radial Distances of Pioneer 10, Pioneer 11, Voyager 1, and Voyager 2




Figure 2. Hellographic Latitudes on Pioneer 10, Pioneer 11, Voyager 1, and Voyager 2




Figure 3. Ecliptic Longitudes of Pioneer 10, Pioneer 11, Voyager 1, and Voyager 2

RADIAL DISTANCE, AU








Figure 4. Radial Distance and Heliographic Latitude of Ulysses from Launch Through 1999





ECLIPTIC LATITUDE 1 JAN 95 1 JAN 98 3.1 15.5 33.9 -16.9 PIONEER10 PIONEER11 VOYAGER1 97 JAN YEAR SUISE 1 R30AYOV 96 JAN Figure 7. Earth-Sun-Probe Angles SAKIGAKE 95 360 270 8 8 DATA ON FIRST OF EACH MONTH, EXCEPT FOR PIONEERS AND VOYAGERS ECLIPTIC PLANE EARTH-SUN-PROBE ANGLE






The ICE Earth-return trajectory (1983 to 2014) plotted relative to a fixed Sun-Earth line. Time interval between departure and return lunar swingbys is 11,189 days, or 30.634 years

Start and End Dates/Durations:

<u>PHASE</u> Transfer trajectory to halo insertion	<u>DATES</u> 8-12-78 to 11-20-78	<u>DURATION</u> 100 days
Halo Orbit Phase	11-20-78 to 9-1-82	3 years, 9 month
Extended Mission	9-1-82 to 12-22-83	1 year, 3.7 months
Comet Intercept. Mission	12-22-83 to 9-11-85	1 year, 8.7 months
Heliocentric Cruise	9-11-85 to present	Open ended

SOURCE: Adapted from material in Report of the STP Project of the IACG, Handbook on Trajectories, Mission Design, and Operations—Interim Version, Computer Sciences Corporation, September 1989.


Figure 9. Earth-Sun-Probe Angle of ICE



Sakigake Earth-Return Trajectory, 1985 to 1992

SOURCE: Adapted from material in Report of the STP Project of the IACG, Handbook on Trajectories, Mission Design, and Operations—Interim Version, Computer Sciences Corporation. September 1989.

Figure 10. Earth-Sun-Probe Angle of Sakigake



Typical Ulysses Spacecraft Trajectory Viewed From 15 Deg Above the Ecliptic Plane

SOURCE: Adapted from material in Report of the STP Project of the IACG, Handbook on Trajectories, Mission Design, and Operations—Interim Version, Computer Sciences Corporation, September 1989.

Figure 11. A Three Dimensional Sketch of the Ulysses Trajectory